

CYMILL

G -SERIES




COMPONENTS
PERFECTION.




MADE IN GERMANY




The **G-Series HD** variant further enhances power output, delivering up to 5,000 Nm torque and robust hydraulic clamping up to 7,500 Nm, making it suitable for heavy-duty milling, turning, and grinding operations. Modular spindle integration (up to 70 kW) and optional accessories like chip extraction, cooling systems, and automatic spindle/head exchange ensure flexibility and efficiency in complex machining tasks.



G-Series/T- Series (Ø238mm)



Series:	CS-42-238-S	CS-50-238-A / CST-50-238-A
Power S1/S6:	42/55 kW	50/63 kW
Nom. speed:	1.000 r.p.m.	2.000 r.p.m.
Torque S1/S6:	400/525 Nm	248/315 Nm
Max. speed:	7.000 r.p.m.	15.000 r.p.m.
Tool system:	HSK-A100 / SK50/C8	HSK-A100




Series:	CS-70-238-S
Power S1/S6:	70/90 kW
Nom. speed:	8.000 r.p.m.
Torque S1/S6:	85/105 Nm
Max. speed:	22.000 r.p.m.
Tool system:	HSK-A63

CYSPEED *Select* motorspindles are the most frequent used motorspindles in the market. In due to the high demand, these motorspindles are produced to stock.

AVAILABLE ACCESSORIES

- Integrated Dust & Chip Extraction System
Optional accessory mounted around the spindle nose or tool area



Rapid delivery time



Competitive pricing



Big Stock



40 Years of experience



Refurbished program




Global Sales & Service



36 months warranty

CYSPEED Advantages:

- + CYTEC hydromechanical tool clamping system for failsafe machining.
- + Hybrid bearing combination for highest performance, rigidity, accuracy and spindle lifetime.
- + Delta-Zero Temperature control for homogeneous temperature.
- + Most compact design.
- + Unique grasping safety of clamping system with 2.5mm stroke.





CYTEC WORLD WIDE

HQ - CYTEC Zylindertechnik Germany
Jülich

CYTEC France
Le Pecq

CYTEC USA
Florida

CYTEC Taiwan
Taichung

CYTEC China
Shanghai, Jinan

CYTEC UK
Oldham



WWW.CYTEC-SYSTEMS.COM

Contact:

CYTEC SYSTEMS

1490 NE Pine Island Rd, Unit 3C, Cape Coral,
Florida 33909, US
+1 (833) 298-3287
usmarket@cytec.de

